

# DOSIER ILUMINACIÓN EN CENTROS EDUCATIVOS



Escanea para ver nuestro  
Dosier de Iluminación  
en centros educativos



**Dosier Iluminación en centros educativos: La iluminación en las aulas.**

La iluminación en las aulas no es solo una cuestión de comodidad visual; es un componente fundamental para crear un entorno de aprendizaje óptimo. Es esencial que los centros educativos presten atención a la calidad de la iluminación en sus instalaciones para garantizar el bienestar y el rendimiento académico de sus estudiantes.

**Dossiê Iluminação em centros educativos: A iluminação nas salas de aula.**

A iluminação nas salas de aula não é apenas uma questão de conforto visual; é um componente fundamental para criar um ambiente de aprendizado ideal. É essencial que os centros educacionais prestem atenção à qualidade da iluminação em suas instalações para garantir o bem-estar e o desempenho acadêmico dos seus estudantes.

**Lighting in educational institutions Brochure: Lighting in classrooms.**

Classroom lighting is not just a matter of visual comfort; it is a fundamental component for creating an optimal learning environment. Educational institutions must pay attention to the quality of lighting in their facilities to ensure the well-being and academic performance of their students.

**Dossier Illuminazione in centri educativi: Illuminazione nelle aule.**

L'illuminazione nelle aule non è solo una questione di comfort visivo; è un elemento fondamentale per creare un ambiente di apprendimento ottimale. È essenziale che le istituzioni educative prestino attenzione alla qualità dell'illuminazione nelle loro strutture per garantire il benessere e il rendimento accademico degli studenti.

# ILUMINACIÓN PANTALLAS

Painéis | Panels | Pannelli





MODEL	GAMA	W	Lm   W											EE LABEL	
KLPS		28*	143			110°	IP20	CRI80	*D1, D3, D4, D5, D6	220-240V AC	P.F.0.95		IK03		PG 32
PANEL PLP		40   50	120			82°	IP20	CRI80	*D1, D3, D4, D5, D6	220-240V AC	P.F.≥0.9		IK03		PG 34
PANEL LPT		40   50	95			90°	IP20	CRI80	*D1, D2, D3, D4, D5, D6	220-240V AC	P.F.≥0.9		IK03		PG 36
PANEL VLPS		40	86			110°	IP20	CRI80	*D1, D2, D3, D4, D5, D6	220-240V AC	P.F.≥0.9		IK03		PG 38
VLPS 60X60 V2		40	100			110°	IP40	CRI80	*D1, D2, D3, D4, D5, D6	220-240V AC	P.F.≥0.9		IK03		PG 40
PANEL PRO		40	120			120°	IP20	CRI80	*D1, D3, D4, D5, D6	220-240V AC	P.F.≥0.9		IK03		PG 42
PANEL LPS		40	100			120°	IP20	CRI80	1-10V *D1, D2, D3, D4, D5, D6	220-240V AC	P.F.≥0.9		IK03		PG 44
PANEL E		40	85			120°	IP20	CRI80	*D1, D2, D3, D4, D5, D6	220-240V AC	P.F.≥0.9		IK03		PG 46
PANEL LPR		48   58*	103			120°	IP20	CRI80	*D1, D2, D3, D4, D5, D6	220-240V AC	P.F.≥0.9		IK03		PG 48
PANEL IOT		36*	94			110°	IP20	CRI80	IOT	220-240V AC	P.F.≥0.9		IK03	-	PG 50
HLPS ANTIBACT		36	106			110°	IP65	CRI80	*D1, D2, D3, D4, D5, D6	200-240V AC	P.F.≥0.9		IK07		PG 52
RACK		36	112			100°	IP20	CRI80	*D1, D3, D4, D5, D6	220-240V AC	P.F.≥0.9		IK03		PG 54
SLPS SENSOR		36	106			110°	IP65	CRI80	-	200-240V AC	P.F.≥0.9		IK07	-	PG 56
PANEL 2LP		40	84			120°	IP20	CRI80	*D1, D2, D3, D4, D5, D6	100-240V AC	P.F.≥0.9		IK03	-	PG 58
CERCO E		40	95			120°	IP20	CRI80	*D1, D2, D3, D4, D5, D6	175-250V AC	P.F.≥0.9		IK03		PG 60



# KLPS



## KLPS



REF	W	Lm	☼	☒	⤴	⌚
KLPS8000BF	28*	3990	4000K	☐ BL	110°	D1 D3 D4
KLPS7997BB	28*	3990	6000K	☐ BL	110°	D5 D6

\* Ver | see | vedere pg. 27



\* Más opciones de W disponibles, consultar con un gestor de servicios de ROBLAN | Mais opções W disponíveis, consulte um gerente de serviço ROBLAN.  
\* More W options available, consult with a ROBLAN service manager | Altre opzioni W disponibili, consultare un responsabile dell'assistenza ROBLAN.



### Dimensiones | Dimensões | Dimensions | Dimensioni



H: 33 mm L: 595 mm W: 595 mm 2.2 kg 5



### Accesorios | Acessórios | Accessories | Accessori

- KITREC60X60W** | MOUNTING KIT pg. 65
- KITREC60X60WES** | MOUNTING KIT pg. 66
- KITRECPO60X60WES** | MOUNTING KIT pg. 64
- KITSPRINGBACK60** | MOUNTING KIT pg. 65
- KITSURFBACKW6060** | MOUNTING KIT pg. 66
- KITSUSPENBACK60** | MOUNTING KIT pg. 66




# PANEL PLP





## Dimensiones | Dimensões | Dimensions | Dimensi



1	H: 28 mm	L: 295 mm	W: 1195 mm	2.1 kg	5
2	H: 28 mm	L: 595 mm	W: 595 mm	1.8 kg	5
3	H: 34 mm	L: 595 mm	W: 1195 mm	4.2 kg	4



82°



## PANEL PLP




\* Ver | see | vedere pg. 27

	REF	W	Lm					
1	PLP12030BF	40	4800	4000K	BL	82°	D1 D3 D4 D5 D6	E13 E10 E5 E17 E20 E22
2	PLP6060BF	40	4800	4000K	BL	82°		
1	PLP12030BB	40	4800	6000K	BL	82°		
2	PLP6060BB	40	4800	6000K	BL	82°		
3	PLP12060BF	50	6000	4000K	BL	82°		E13 E5 E17 E20 E22
3	PLP12060BB	50	6000	6000K	BL	82°		

## Accesorios | Acessórios | Accessories | Accessori

<b>KITREC30X120W</b>   MOUNTING KIT pg. 65	<b>KITREC30X120WES</b>   MOUNTING KIT pg. 64	<b>KITSRINGBACK120</b>   MOUNTING KIT pg. 65
<b>KITSURFBACKW30120</b>   MOUNTING KIT pg. 66	<b>KITSURFW30X120ES</b>   MOUNTING KIT pg. 64	<b>KITSUSPENBACK120</b>   MOUNTING KIT pg. 66
<b>KITREC60X60W</b>   MOUNTING KIT pg. 65	<b>KITREC60X60WES</b>   MOUNTING KIT pg. 66	<b>KITRECPO60X60WES</b>   MOUNTING KIT pg. 64
<b>KITSRINGBACK60</b>   MOUNTING KIT pg. 65	<b>KITSURFBACKW6060</b>   MOUNTING KIT pg. 66	<b>KITSURFWHITESP</b>   MOUNTING KIT pg. 64
<b>KITSUSPENBACK60</b>   MOUNTING KIT pg. 66	<b>KITREC60X120W</b>   MOUNTING KIT pg. 64	<b>KITREC60X120WES</b>   MOUNTING KIT pg. 64







# PANEL LPT



**Dimensiones | Dimensões | Dimensions | Dimensioni**



1	H: 28 mm	L: 1195 mm	W: 295 mm	2.1 kg	5
2	H: 28 mm	L: 595 mm	W: 595 mm	1.8 kg	8
3	H: 34 mm	L: 1195 mm	W: 595 mm	3.5 kg	4



**PANEL LPT**

REF	W	Lm	Color	Beam	Angle	* Ver   see   vedere pg. 27	
1 LPT12030BF	40*	3800	4000K	BL	90°	D1 D2 D3 D4 D5 D6	E13 E10 E5 E17 E20 E22
2 LPT6060BF	40*	3800	4000K	BL	90°		
1 LPT12030BB	40*	3800	6000K	BL	90°		
2 LPT6060BB	40*	3800	6000K	BL	90°		
3 LPT12060BF	50*	5250	4000K	BL	110°		
3 LPT12060BB	50*	5250	6000K	BL	90°		

\* Más opciones de W disponibles, consultar con un gestor de servicios de ROBLAN | Mais opções W disponíveis, consulte um gerente de serviço ROBLAN.  
 \* More W options available, consult with a ROBLAN service manager | Altre opzioni W disponibili, consultare un responsabile dell'assistenza ROBLAN.

V AC220-240 P.F.>0.9 20000 L70B50 110000h

**Accesorios | Acessórios | Accessories | Accessori**

<b>KITREC30X120W</b>   MOUNTING KIT pg. 65	<b>KITREC30X120WES</b>   MOUNTING KIT pg. 64	<b>KITSRINGBACK120</b>   MOUNTING KIT pg. 65
<b>KITSURFBACKW30120</b>   MOUNTING KIT pg. 66	<b>KITSURFW30X120ES</b>   MOUNTING KIT pg. 64	<b>KITSUSPENBACK120</b>   MOUNTING KIT pg. 66
<b>KITREC60X60W</b>   MOUNTING KIT pg. 65	<b>KITREC60X60WES</b>   MOUNTING KIT pg. 66	<b>KITRECPO60X60WES</b>   MOUNTING KIT pg. 64
<b>KITSRINGBACK60</b>   MOUNTING KIT pg. 65	<b>KITSURFBACKW6060</b>   MOUNTING KIT pg. 66	<b>KITSURFWHITESP</b>   MOUNTING KIT pg. 64
<b>KITSUSPENBACK60</b>   MOUNTING KIT pg. 66	<b>KITREC60X120W</b>   MOUNTING KIT pg. 64	<b>KITREC60X120WES</b>   MOUNTING KIT pg. 64



# PANEL VLPS



1

2

3

## PANEL VLPS





\* Ver | see | vedere pg. 27

REF	W	Lm	Color	Beam	Angle	Code
2 VLPS1160BC	40*	3200	3000K	BL	110°	D1 E13
2 VLPS1153BF	40*	3450	4000K	BL	110°	D2 E10
1A VLPS12030BF	40*	3280	4000K	BL	110°	D3 E5
1B VLPS12030BB	40*	3280	6000K	BL	110°	D4 E17
2 VLPS1146BB	40*	3450	6000K	BL	110°	D5 E20
						D6 E22

\* Más opciones de W disponibles, consultar con un gestor de servicios de ROBLAN | Mais opções W disponíveis, consulte um gerente de serviço ROBLAN.  
 \* More W options available, consult with a ROBLAN service manager | Altre opzioni W disponibili, consultare un responsabile dell'assistenza ROBLAN.



	Dimensiones   Dimensões   Dimensions   Dimensioni	Weight	Quantity
1A	H: 28 mm L: 295 mm W: 1195 mm	1.7 kg	8
2	H: 28 mm L: 595 mm W: 595 mm	1.5 kg	8
1B	H: 33 mm L: 295 mm W: 1195 mm	1.7 kg	8



## Accesorios | Acessórios | Accessories | Accessori

- KITREC30X120W** | MOUNTING KIT pg. 65
- KITREC30X120WES** | MOUNTING KIT pg. 64
- KITSPRINGBACK120** | MOUNTING KIT pg. 65
- KITSURFBACKW30120** | MOUNTING KIT pg. 66
- KITSURFW30X120ES** | MOUNTING KIT pg. 64
- KITSUSPENBACK120** | MOUNTING KIT pg. 66
- KITREC60X60W** | MOUNTING KIT pg. 65
- KITREC60X60WES** | MOUNTING KIT pg. 66
- KITRECPO60X60WES** | MOUNTING KIT pg. 64
- KITSPRINGBACK60** | MOUNTING KIT pg. 65
- KITSURFBACKW6060** | MOUNTING KIT pg. 66
- KITSURFWHITESP** | MOUNTING KIT pg. 64
- KITSUSPENBACK60** | MOUNTING KIT pg. 66




# VLPS 60X60 V2



**✂** Dimensiones | Dimensões | Dimensions | Dimensioni



H: 33 mm    L: 595 mm    W: 595 mm    0.2 kg    8




## VLPS 60X60 V2



\* Ver | see | vedere pg. 27

REF	W	Lm	☘	☑	▲	⊙	⊕
VLPSV20230BF	40*	4000	4000K	BL	110°	D1 D2 D3 D4	E13 E10 E5 E17
VLPSV20223BB	40*	4000	6000K	BL	110°	D5 D6	E20 E22

\* Más opciones de W disponibles, consultar con un gestor de servicios de ROBLAN | Mais opções W disponíveis, consulte um gerente de serviço ROBLAN.  
\* More W options available, consult with a ROBLAN service manager | Altre opzioni W disponibili, consultare un responsabile dell'assistenza ROBLAN.



**✂** Accesorios | Acessórios | Accessories | Accessori



**KITREC60X60W** | MOUNTING KIT  
pg. 65



**KITREC60X60WES** | MOUNTING KIT  
pg. 66



**KITRECP060X60WES** | MOUNTING KIT  
pg. 64



**KITSPRINGBACK60** | MOUNTING KIT  
pg. 65



**KITSURFBACKW6060** | MOUNTING KIT  
pg. 66



**KITSURFWHITESP** | MOUNTING KIT  
pg. 64



**KITSUSPENBACK60** | MOUNTING KIT  
pg. 66




# PANEL PRO



**✘** Dimensiones | Dimensões | Dimensions | Dimensioni



H: 10.4 mm    L: 595 mm    W: 595 mm    2.5 kg    5




## PANEL PRO



\* Ver | see | vedere pg. 27

REF	W	Lm	☼	🔌	⚙️	🔄	Ⓜ️
PLP55740ALF	40	4800	4000K	AL-A	120°	D1 D3 D4 D5 D6	E13 E10 E5 E17 E20 E22
PLP55733ALB	40	4800	6000K	AL-A	120°		



**🔧** Accesorios | Acessórios | Accessories | Accessori

- KITBRACKET12030** | MOUNTING KIT pg. 65
- KITREC60X60W** | MOUNTING KIT pg. 65
- KITREC60X60WES** | MOUNTING KIT pg. 66
- KITRECPO60X60WES** | MOUNTING KIT pg. 64
- KITSPRING** | MOUNTING KIT pg. 65
- KITSURF** | MOUNTING KIT pg. 65
- KITSURFBACKW6060** | MOUNTING KIT pg. 66
- KITSURFWHITE** | MOUNTING KIT pg. 65
- KITSURFWHITESP** | MOUNTING KIT pg. 64
- KITSUSPEN** | MOUNTING KIT pg. 64
- KITSUSPENBACK60** | MOUNTING KIT pg. 66



# PANEL LPS



1

2

## PANEL LPS



\* Ver | see | vedere pg. 27



REF	W	Lm	Color	Beam	Temp	Life	Dim	Code
1 LPS2633ALF	40*	3520	4000K	AL-A	120°	1-10V		D1 E13
2 LPS3111BF	40*	4000	4000K	BL	120°			D2 E10
1 LPS2626ALB	40*	3520	6000K	AL-A	120°	1-10V		D3 E5
2 LPS3104BB	40*	4000	6000K	BL	120°			D4 E17
								D5 E20
								D6 E22

\* Más opciones de W disponibles, consultar con un gestor de servicios de ROBLAN | Mais opções W disponíveis, consulte um gerente de serviço ROBLAN.  
\* More W options available, consult with a ROBLAN service manager | Altre opzioni W disponibili, consultare un responsabile dell'assistenza ROBLAN.



### Dimensiones | Dimensões | Dimensions | Dimensioni

	H:	L:	W:	kg	Box
1	10.4 mm	595 mm	595 mm	2.5 kg	5
2	9.6 mm	595 mm	595 mm	2.5 kg	5



### Accesorios | Acessórios | Accessories | Accessori

<b>KITBRACKET12030</b>   MOUNTING KIT pg. 65	<b>KITREC60X60W</b>   MOUNTING KIT pg. 65	<b>KITREC60X60WES</b>   MOUNTING KIT pg. 66
<b>KITRECPO60X60WES</b>   MOUNTING KIT pg. 64	<b>KITSURF</b>   MOUNTING KIT pg. 65	<b>KITSURF</b>   MOUNTING KIT pg. 65
<b>KITSURFBACKW6060</b>   MOUNTING KIT pg. 66	<b>KITSURFWHITE</b>   MOUNTING KIT pg. 65	<b>KITSURFWHITE</b>   MOUNTING KIT pg. 64
<b>KITSUSPEN</b>   MOUNTING KIT pg. 64	<b>KITSUSPENBACK60</b>   MOUNTING KIT pg. 66	




# PANEL E



Dimensiones | Dimensões | Dimensions | Dimensioni



H: 9.6 mm    L: 595 mm    W: 595 mm    2.1 kg    5




## PANEL E



\* Ver | see | vedere pg. 27

REF	W	Lm					
ELP55702ALF	40*	3400	4000K	AL-A	120°	D1	E13
ELP55726BF	40*	3400	4000K	BL	120°	D2	E10
ELP55696ALB	40*	3400	6000K	AL-A	120°	D3	E5
ELP55719BB	40*	3400	6000K	BL	120°	D4	E17
						D5	E20
						D6	E22

\* Más opciones de W disponibles, consultar con un gestor de servicios de ROBLAN | Mais opções W disponíveis, consulte um gerente de serviço ROBLAN.  
\* More W options available, consult with a ROBLAN service manager | Altre opzioni W disponibili, consultare un responsabile dell'assistenza ROBLAN.



Accesorios | Acessórios | Accessories | Accessori



**KITBRACKET12030** | MOUNTING KIT  
pg. 65



**KITSPRING** | MOUNTING KIT  
pg. 65



**KITSURFWHITE** | MOUNTING KIT  
pg. 65



**KITSURFWHITE** | MOUNTING KIT  
pg. 66



**KITREC60X60W** | MOUNTING KIT  
pg. 65



**KITSURF** | MOUNTING KIT  
pg. 65



**KITSURFWHITESP** | MOUNTING KIT  
pg. 64



**KITRECPO60X60WES** | MOUNTING KIT  
pg. 64



**KITSURFBACKW6060** | MOUNTING KIT  
pg. 66



**KITSUSPEN** | MOUNTING KIT  
pg. 64



# PANEL LPR




1


2

**Dimensiones | Dimensões | Dimensions | Dimensiuni**

1	H: 10.6 mm	L: 1195 mm	W: 595 mm	5 kg	2
2	H: 9.6 mm	L: 1195 mm	W: 295 mm	2.5 kg	5



1



2

## PANEL LPR



\* Ver | see | vedere pg. 27

REF	W	Lm	Color	Beam	Beam Angle	Ⓢ	ⓔ
2 LPR1203040ALF	40*	3880	4000K	AL-A	120°	D1 D2 D3 D4 D5 D6	E13 E5 E17 E20 E22
2 LPR1203040BF	40*	3880	4000K	BL	120°		
2 LPR1203040ALB	40*	3880	6000K	AL-A	120°		
2 LPR1203040BB	40*	3880	6000K	BL	120°		
1 LPR120X6058BF	48*	4930	4000K	BL	120°		
1 LPR120X6058BB	48*	4930	6000K	BL	120°		

\* Más opciones de W disponibles, consultar con un gestor de servicios de ROBLAN | Mais opções W disponíveis, consulte um gerente de serviço ROBLAN.  
 \* More W options available, consult with a ROBLAN service manager | Altre opzioni W disponibili, consultare un responsabile dell'assistenza ROBLAN.



## Accesorios | Acessórios | Accessories | Accessori

<p><b>KITBRACKET12030</b>   MOUNTING KIT pg. 65</p>	<p><b>KITREC60X120WES</b>   MOUNTING KIT pg. 64</p>	<p><b>KITSRING</b>   MOUNTING KIT pg. 65</p>
<p><b>KITSURFW60X120</b>   MOUNTING KIT pg. 66</p>	<p><b>KITSURFW60X120ES</b>   MOUNTING KIT pg. 64</p>	<p><b>KITSUSPENBACK120</b>   MOUNTING KIT pg. 66</p>
<p><b>KITREC30X120W</b>   MOUNTING KIT pg. 65</p>	<p><b>KITREC30X120WES</b>   MOUNTING KIT pg. 64</p>	<p><b>KITSURF30X120</b>   MOUNTING KIT pg. 66</p>
<p><b>KITSURFBACKW30120</b>   MOUNTING KIT pg. 66</p>	<p><b>KITSURFW30X120</b>   MOUNTING KIT pg. 66</p>	<p><b>KITSURFW30X120ES</b>   MOUNTING KIT pg. 64</p>



# PANEL IOT



## PANEL IOT



\* Ver | see | vedere pg. 27



REF	W	Lm					
1 LPR6029IOT	36*	3400	2700K / 6500K	BL	110°	IOT	D1 D2 D3 D4 D5 D6
2 PLPS6012IOT	36	3400	2700K / 6500K	BL	110°	IOT	

\* Más opciones de W disponibles, consultar con un gestor de servicios de ROBLAN | Mais opções W disponíveis, consulte um gerente de serviço ROBLAN.  
\* More W options available, consult with a ROBLAN service manager | Altre opzioni W disponibili, consultare un responsabile dell'assistenza ROBLAN.



### Dimensiones | Dimensões | Dimensions | Dimensioni

	H:	L:	W:	
1	37.9 mm	1195 mm	295 mm	6
2	38.9 mm	595 mm	595 mm	6




### Accesorios | Acessórios | Accessories | Accessori

- KITREC30X120W** | MOUNTING KIT pg. 65
- KITREC30X120WES** | MOUNTING KIT pg. 64
- KITSURF30X120** | MOUNTING KIT pg. 66
- KITSURFW30X120** | MOUNTING KIT pg. 66
- KITSURFW30X120ES** | MOUNTING KIT pg. 64
- KITSUSPENBACK120** | MOUNTING KIT pg. 66
- KITREC60X60W** | MOUNTING KIT pg. 65
- KITREC60X60WES** | MOUNTING KIT pg. 66
- KITRECPO60X60WES** | MOUNTING KIT pg. 64
- KITSPRING** | MOUNTING KIT pg. 65
- KITSURF** | MOUNTING KIT pg. 65
- KITSURFBACKW6060** | MOUNTING KIT pg. 66
- KITSURFWHITE** | MOUNTING KIT pg. 65
- KITSURFWHITESP** | MOUNTING KIT pg. 64
- KITSUSPEN** | MOUNTING KIT pg. 64
- KITSUSPENBACK60** | MOUNTING KIT pg. 66

### IOTA60REM - Control remoto | Remote control | Controllo remoto | Telecomando



Controla tus luminarias LED IOT con el **control remoto**  
Controla as tuas luminárias LED IOT com o **controllo remoto**  
Control your IOT LED luminaires via **remote control**  
Controlla le tue luminarie LED IOT con il **telecomando**





# HLPS ANTIBACT



## HLPS ANTIBACT



\* Ver | see | vedere pg. 27

REF	W	Lm	☀️	📏	⬆️	⓪	ⓔ
HLPS1665BF	36*	3800	4000K	BL	110°	D1 D2 D3 D4	E13 E10 E5 E17
HLPS1658BB	36*	3800	6000K	BL	110°	D5 D6	E20 E22

\* Más opciones de W disponibles, consultar con un gestor de servicios de ROBLAN | Mais opções W disponíveis, consulte um gerente de serviço ROBLAN.  
\* More W options available, consult with a ROBLAN service manager | Altre opzioni W disponibili, consultare un responsabile dell'assistenza ROBLAN.



## Driver IP65 / IP20



**Opción IP20 o IP67 para panel HLPS ANTIBACT**  
Opção IP20 ou IP67 para o painel HLPS ANTIBACT  
IP20 or IP67 option for HLPS ANTIBACT panel  
Opzione IP20 o IP67 per il pannello HLPS ANTIBACT

DRIVERHLPSIP20: **DRIVER IP20**  
DRIVERHLPSIP65: **DRIVER IP65**

### Dimensiones | Dimensões | Dimensions | Dimensioni



H: 10 mm L: 595 mm W: 595 mm 3 kg 4



### Accesorios | Acessórios | Accessories | Accessori

- KITREC60X60W** | MOUNTING KIT pg. 65
- KITREC60X60WES** | MOUNTING KIT pg. 66
- KITRECPO60X60WES** | MOUNTING KIT pg. 64
- KITSPRING** | MOUNTING KIT pg. 65
- KITSURF** | MOUNTING KIT pg. 65
- KITSURFBACKW6060** | MOUNTING KIT pg. 66
- KITSURFWHITE** | MOUNTING KIT pg. 65
- KITSURFWHITESP** | MOUNTING KIT pg. 64
- KITSUSPEN** | MOUNTING KIT pg. 64
- KITSUSPENBACK60** | MOUNTING KIT pg. 66



# RACK



1

2

## RACK



\* Ver | see | vedere pg. 27


	REF	W	Lm				
1	RACK30120CCT	36	4015lm (3000k) - 4320lm (4000k) - 4320lm (5700k)	3000K / 4000K / 5700K	BL	100°	D1 D3 D4
2	RACK6060CCT	36	4015lm (3000k) - 4320lm (4000k) - 4320lm (5700k)	3000K / 4000K / 5700K	BL	100°	D5 D6




### Dimensiones | Dimensões | Dimensions | Dimensi




1	H: 295 mm	L: 1195 mm	W: 33 mm	1.5 kg	5
2	H: 595 mm	L: 595 mm	W: 33 mm	1.4 kg	5



100°



1




2

### Accesorios | Acessórios | Accessories | Accessori

<b>KITREC30X120W</b>   MOUNTING KIT pg. 65	<b>KITREC30X120WES</b>   MOUNTING KIT pg. 64	<b>KITSRINGBACK120</b>   MOUNTING KIT pg. 65
<b>KITSURFBACKW30120</b>   MOUNTING KIT pg. 66	<b>KITSURFW30X120ES</b>   MOUNTING KIT pg. 64	<b>KITSUSPENBACK120</b>   MOUNTING KIT pg. 66
<b>KITREC60X60W</b>   MOUNTING KIT pg. 65	<b>KITREC60X60WES</b>   MOUNTING KIT pg. 66	<b>KITRECP060X60WES</b>   MOUNTING KIT pg. 64
<b>KITSRING</b>   MOUNTING KIT pg. 65	<b>KITSURFBACKW6060</b>   MOUNTING KIT pg. 66	<b>KITSURFWHITESP</b>   MOUNTING KIT pg. 64
<b>KITSUSPEN</b>   MOUNTING KIT pg. 64	<b>KITSUSPENBACK60</b>   MOUNTING KIT pg. 66	





# SLPS SENSOR



Dimensiones | Dimensões | Dimensions | Dimensioni



H: 10 mm L: 595 mm W: 595 mm 2.45 kg 4



## SLPS SENSOR

IP65 IK07 CRI80 MW

REF	W	Lm	Color	Finish	Beam Angle
SLPS1689BF	36	3800	4000K	BL	110°
SLPS1672BB	36	3800	6000K	BL	110°

V AC200-240 P.F.>0.9 L7050 60000h

## Accesorios | Acessórios | Accessories | Accessori

- KITREC60X60W** | MOUNTING KIT pg. 65
- KITREC60X60WES** | MOUNTING KIT pg. 66
- KITRECPO60X60WES** | MOUNTING KIT pg. 64
- KITSPRING** | MOUNTING KIT pg. 65
- KITSURF** | MOUNTING KIT pg. 65
- KITSURFBACKW6060** | MOUNTING KIT pg. 66
- KITSURFWHITE** | MOUNTING KIT pg. 65
- KITSURFWHITESP** | MOUNTING KIT pg. 64
- KITSUSPENBACK60** | MOUNTING KIT pg. 66
- KITSUSPEN** | MOUNTING KIT pg. 64

## Especificaciones Sensor | Especificações do Sensor | Sensor Specifications | Specifiche del Sensore

Tecnología de Sensor   Tecnologia do Sensor   Sensor Technology   Tecnologia del Sensore	MW
Sensor Crepuscular   Sensor Crepuscular   Photo Sensor   Sensore Crepuscolare	25lx-300lx
Altura max Instalación Sensor   Altura Máxima de Instalação do Sensor Max Height Installation Sensor   Altezza Massima di Installazione del Sensore	4
Tiempo de encendido   Tempo de Acendimento   On/off time length   Tempo di Accensione	5s-30min



# PANEL 2LP




## PANEL 2LP



\* Ver | see | vedere pg. 27

REF	W	Lm				
2LP55764ALF	40*	3200	4000K	AL-A	120°	D1 D2 D3 D4 D5 D6
2LP55757ALB	40*	3350	6000K	AL-A	120°	

\* Más opciones de W disponibles, consultar con un gestor de servicios de ROBLAN | Mais opções W disponíveis, consulte um gerente de serviço ROBLAN.  
\* More W options available, consult with a ROBLAN service manager | Altre opzioni W disponibili, consultare un responsabile dell'assistenza ROBLAN.





30% Luz | Light | Luce  
70% Luz | Light | Luce

### Dimensiones | Dimensões | Dimensions | Dimensioni



H: 14 mm    L: 595 mm    W: 595 mm    2.7 kg    5





# CERCO E



## CERCO E



\* Ver | see | vedere pg. 27

REF	W	Lm	Light Color	Beam Angle	Beam Spread	Beam Spread
ELPS7354BFL	40*	3800	4000K	BL	120°	D1 D2 D3 D4 D5 D6
ELPS7347BBL	40*	3800	6000K	BL	120°	




\* Más opciones de W disponibles, consultar con un gestor de servicios de ROBLAN | Mais opções W disponíveis, consulte um gerente de serviço ROBLAN.  
 \* More W options available, consult with a ROBLAN service manager | Altre opzioni W disponibili, consultare un responsabile dell'assistenza ROBLAN.



### Dimensiones | Dimensões | Dimensions | Dimensioni



H: 11 mm L: 591 mm W: 591 mm 0,45 kg 10



✂	REF	🔩	60X60									120X30						120X60							
			PLP 60X60	PANEL LPT 60X60	RACK	HLPS	SLPS	VLP5 60X60	VLPS V2	PANEL IOT 60X60	PANEL PRO		KLPS	PANEL LPS	PANEL 2LP	PANEL E	PANEL 120X30	PANEL LPT	VLPS 120X30	PANEL IOT 120X30	PLP 120x30	RACK	PANEL 120X60	PANEL LPT 120X60	PLP 120x60
	☑		PRISMA	PRISMA		OPAL	OPAL	OPAL	OPAL	OPAL	OPAL		PRISMA	OPAL	OPAL	OPAL	OPAL	PRIMA	OPAL	OPAL	PRIMA		OPAL	PRIMA	PRIMA
	Tipo/Type		BACK	BACK	BACK	SLIM	SLIM	BACK	BACK	SLIM	SLIM		BACK	SLIM		SLIM	SLIM	BACK	BACK	SLIM	BACK	BACK	SLIM	BACK	BACK
🔩	KITREC60X60W	5CM	X	X	X	X	X	X	X	X	X		X	X		X									
	KITSPRING	4 ENGANCHES			X	X	X			X	X			X		X							X		
	KITSPRING-BACK60	4 ENGANCHES	X	X				X	X				X												
	KITRE-C60X60WES	4CM	X	X	X	X	X	X	X	X	X		X	X		X									
	KITRE-CPO60X60WES	6CM	X	X	X	X	X	X	X	X	X		X	X		X									
	KITREC30X120W	5CM															X	X	X	X	X	X			
	KITRE-C30X120WES	4CM															X	X	X	X	X	X			
	KITREC60X120W	5CM																						X	X
	KITRE-C60X120WES	4CM																					X	X	X
KITSPRING-BACK120	4/6 ENGANCHES																X	X		X	X		X	X	
🔩	KITSURF	4CM					X			X	X														
	KITSURFWHITESP	7CM	X	X	X	X	X	X	X	X	X		X	X		X									
	KITSURFBACKW6060	7CM	X	X	X	X	X	X	X	X	X		X	X		X									
	KITSURFWHITE	5CM					X			X	X														
	KITBRACKET12030	6 ENGANCHES									X			X		X	X						X		
	KITSURFW30X120ES	7CM														X	X	X	X	X					
	KITSURF30X120	4CM														X			X						
	KITSURFBACKW30120	7CM														X	X	X	X		X				
	KITSURFW30X120	4CM														X			X						
🔩	KITSURFW60X120ES	7CM																					X	X	
	KITSURFBACKW60120	7CM																						X	
	KITSURFW60X120	4CM																					X	X	
	KITSUSPEN	4 ENGANCHES			X	X	X			X	X			X		X									
	KITSUSPEN-BACK60	4 ENGANCHES	X	X	X	X	X	X	X	X	X		X	X		X									
KITSUSPEN-BACK120	6 ENGANCHES														X	X	X	X	X	X	X	X	X	X	

MOUNTING KIT

KITSURFW30X120ES



KIT SUPERFICIE Cajon para Panel 30x120 Marco Blanco ESP | KIT DE SUPERFICIE Painel 30x120 Moldura Branca ESP | KIT Surface Mounting 30x120 Square Panel White Frame ESP | SUPERFICIE KIT Pannello 30x120 Cornice Bianca ESP

BL

KITSURFW60X120ES



KIT SUPERFICIE Cajon para Panel 60x120 Marco Blanco ESP | KIT DE SUPERFICIE Painel 60x120 Moldura Branca ESP | KIT Surface Mounting 60x120 Square Panel White Frame ESP | SURFACE KIT Pannello 60x120 Cornice Bianca ESP

BL

KITSURFWHITESP



KIT SUPERFICIE Cajon para Panel 60x60 Marco Blanco ESP (7cm) | KIT DE SUPERFICIE 60x60 Painel Moldura Branca ESP (7cm) | KIT Surface Mounting 60x60 Square Panel White Frame ESP (7cm) | SURFACE KIT Pannello 60x60 Cornice Bianca ESP (7cm)

BL

KITREC60X120WES



KIT blanco para empotrar Panel 60x120 en techos escayola ESP | KIT Branco para embutir Painel 60x120 em tetos de gesso ESP | Recessed Kits for LED Panel Light (600\*1200),white ESP | KIT bianco per incasso Pannello 60x120 in controsoffitti in cartongesso ESP

BL

KITRECPO60X60WES



KIT blanco Perfil Oculito para Panel 60x60 en techos escayola ESP | Branco KIT Perfil Oculito para Painel 60x60 em tetos de gesso ESP | White KIT Hidden Profile for Panel 60x60 on ceilings plaster ESP | Bianco KIT Profilo Nascosto per Pannello 60x60 su controsoffitti in cartongesso ESP

BL

KITREC30X120WES



KIT blanco para empotrar Panel 30x120 en techos escayola ESP | KIT Branco para embutir Painel 30x120 em tetos de gesso ESP | Recessed Kits for LED Panel Light (300\*1200),white ESP | KIT bianco per incasso Pannello 30x120 in controsoffitti in cartongesso ESP

ELPSLAT



Latiguillo de 1,50 metros para paneles ELPS / LPS deKIT blanco para empotrar Panel 60x120 en techos escayola | Patch cords de 1,50 metros para painéis ELPS em tetos de gesso | Recessed Kits for LED Panel Light (600\*1200),white | KIT Suspension Mounting 60x60 Square panels | Patch cord da 1,50 metri per pannelli 60x60(600\*1200),white | KIT Bianco per incassare PannelloPanel (4 hooks) | KIT SOSPENSIONE Pannello 60x60 ELPS / LPS 60x120 in controsoffitti in cartongesso

BL

KITREC60X120W



KITSUSPEN



KIT SUSPENSIÓN Panel 60x60 100-1500mm (4 enganches) | KIT SUSPENSÃO Painel 60x60 (4 / LPS 60x60) | 1.50 meter hoses for 60x60 ELPS / LPS em tetos de gesso | Recessed Kits for LED Panel Light (600\*600),white | KIT Surface Mounting 60x60 Square Panel Aluminum Frame | SURFACE KIT Pannello 60x60 Cornice Bianca Alluminio

MOUNTING KIT

KITSPRING



KIT para empotrar Panel (4 enganches) | KIT para painel de embutir (4 ganchos) | KIT hanging Springs for recessed Installation of LED PANELS (4 hooks) | KIT per Incasso Pannello (4 ganci)



KITSPRINGBACK60



KIT para empotrar Panel 60cm BACKLIT (4 enganches) | KIT para embutir Painel 60cm BACKLIT (4 ganchos) | KIT hanging Springs for recessed 60CM panel BACKLIT (4 hooks) | KIT per incasso Pannello 60cm RETROILLUMINATO (4 ganci)

KITBRACKET12030



KIT Superficie Panel 1200x300 (6 enganches) | KIT Superficie Painel 1200x300 (6 ganchos) | Surface Mounting Kits Panel 1200x300 6 Hooks | KIT Superficie Pannello 1200x300 (6 ganci)



KITSPRINGBACK120



KIT para empotrar Panel 120cm BACKLIT (6 enganches) | KIT para embutir Painel 120cm BACKLIT (6 ganchos) | KIT hanging Springs for recessed 120CM panel BACKLIT (6 hooks) | KIT per incasso Pannello 120cm RETROILLUMINATO (6 ganci)

KITREC30X120W



KIT blanco para empotrar Panel 30x120 en techos escayola | KIT Branco para embutir Painel 30x120 em tetos de gesso | Recessed Kits for LED Panel Light (300\*1200),white | KIT Bianco per incassare il Pannello 30x120 nei controsoffitti in cartongesso

BL

KITREC60X60W



KIT blanco para empotrar Panel 60x60 en techos escayola | KIT Branco para embutir Painel 60x60 em tetos de gesso | Recessed Kits for LED Panel Light (600\*600),white | KIT Bianco per incasso Pannello 60x60 in controsoffitti in cartongesso

BL

KITSURF



KIT SUPERFICIE Panel 60x60 Marco Aluminio | KIT DE SUPERFICIE Painel 60x60 Moldura de Aluminio | KIT Surface Mounting 60x60 Square Panel Aluminum Frame | SURFACE KIT Pannello 60x60 Cornice Bianca Alluminio

AL

KITSURFWHITE



KIT SUPERFICIE Panel 60x60 Marco Blanco | KIT DE SUPERFICIE Painel 60x60 Moldura Branca | KIT Surface Mounting 60x60 Square Panel White Frame | SURFACE KIT Pannello 60x60 Cornice Bianca

BL

MOUNTING KIT

KITSURFBACKW30120



KIT SUPERFICIE Panel 30x120 Blanco panel BACKLIT | KIT DE SUPERFÍCIE Painel 30x120 Branco BACKLIT | KIT Surface Mounting 30x120 White BACKLIT panel | SURFACE KIT Pannello 30x120 Bianco Pannello RETROILLUMINATO

BL

KITSURFBACKW60120



KIT SUPERFICIE Panel 60x120 Blanco panel BACKLIT | KIT DE SUPERFÍCIE Painel 60x120 Branco BACKLIT | KIT Surface Mounting 60x120 White BACKLIT panel | SURFACE KIT Pannello 60x120 Bianco Pannello RETROILLUMINATO

BL

KITSUSPENBACK120



KIT SUSPENSIÓN Panel 120cm BACKLIT (6 enganches) | KIT SUSPENSÃO Painel 120cm BACKLIT (6 ganchos) | KIT Suspension Mounting 120cm Square Panel BACKLIT (6 hooks) | KIT SOSPENSIONE Pannello 120cm RETROILLUMINATO (6 ganci)

KITSURFBACKW6060



KIT SUPERFICIE Panel 60x60 Blanco panel BACKLIT | KIT DE SUPERFÍCIE Painel 60x60 Branco BACKLIT | KIT Surface Mounting 60x60 White BACKLIT panel | SURFACE KIT Pannello 60x60 Bianco Pannello RETROILLUMINATO

BL

KITSUSPENBACK60



KIT SUSPENSIÓN Panel 60cm BACKLIT (4 enganches) | KIT SUSPENSÃO Painel 60cm BACKLIT (4 ganchos) | KIT Suspension Mounting 60cm Square Panel BACKLIT (4 hooks) | KIT SOSPENSIONE Pannello 60cm RETROILLUMINATO (4 ganci)

KITREC60X60WES



KIT blanco para empotrar Panel 60x60 en techos escayola - Marco ensamblado | KIT Branco para embutir Painel 60x60 em tetos de gesso - Estrutura montada | Recessed Kits for LED Panel Light (600\*600),white - Pre assembled Frame | KIT bianco per incasso Pannello 60x60 in controsoffitti in cartongesso - Telaio assemblato

KITSURF30X120



KIT SUPERFICIE Panel 30x120 Marco Aluminio | KIT DE SUPERFÍCIE Painel 30x120 Moldura de Aluminio | KIT Surface Mounting 30x120 Square Panel Aluminum Frame | SURFACE KIT Pannello 30x120 Cornice Alluminio

AL

KITSURFW30X120



KIT SUPERFICIE Panel 30x120 Marco Blanco | KIT DE SUPERFÍCIE Painel 30x120 Moldura Branca | KIT Surface Mounting 30x120 Square Panel White Frame | SURFACE KIT Pannello 30x120 Cornice Bianca

BL

KITSURFW60X120



KIT SUPERFICIE Panel 60x120 Marco Blanco | KIT DE SUPERFÍCIE Painel 60x120 Moldura Branca | KIT Surface Mounting 60x120 Square Panel White Frame | SURFACE KIT Pannello 60x120 Cornice Bianca

BL

