

ILUMINACIÓN FUENTES DE ALIMENTACIÓN LED

Fontes de alimentação | Power supplies | Alimentatori

BLOG

Soluciones ROBLAN contra las sobretensiones

*Soluções ROBLAN contra sobretensões
ROBLAN solutions against power surges
Soluzioni ROBLAN contro le sovratensioni*



Escanea para ver nuestro BLOG





DRIVER DALI

ROBDALI1050

Driver regulable para LED 1-10V & DALI 10-50W hasta 1400mA | Driver regulável para LED 1-10V & DALI 10-50W até 1400mA | Dimmable LED driver 1-10V & DALI 10-50W up to 1400mA | Driver dimmerabile per LED 1-10V e DALI 10-50W fino a 1400mA

GODRIVER40DA

Driver 1050mA 19-57v DALI - para módulos de 40W | Driver 1050mA 19-57v DALI - para módulos de 40W | Driver 1050mA 19-57v DALI - for LED modules of 40W | Driver 1050mA 19-57v DALI - per moduli da 40W

ROB40DA750

Driver 750 mA 100-240V DALI 40W | Driver 750mA 100-240V DALI 40W | Driver 750 mA 100-240V DALI 40W | Alimentatore 750mA 100-240V DALI 40W

ROB60DA550

Driver 550mA 100-240V DALI 60W | Driver 550mA 100-240V DALI 60W | Driver 550mA 100-240V DALI 60W | Alimentatore 550mA 100-240V DALI 60W

SETDRIVERDALI

Driver DALI | motoristas DALI | Driver DALI | Driver DALI

ROBDALI42700BD

Driver 42 / 250-700mA 3-84V / IP20 DALI PUSH 140 / 220-240V DIPSWITCH | Driver 42 / 250-700mA 3-84V / IP20 DALI PUSH 140 / 220-240V DIPSWITCH | Driver 42 / 250-700mA 3-84V / IP20 DALI PUSH 140 / 220-240V DIPSWITCH | Alimentatore 42 / 250-700mA 3-84V / IP20 DALI PUSH 140 / 220-240V DIPSWITCH

ROBDALI44105

Driver 44w DALI2/PUSH 9-52v/700-1050mA/220-240v IP20 | Driver 44w DALI2/PUSH 9-52v/700-1050mA/220-240v IP20 | Driver 44w DALI2/PUSH 9-52v/700-1050mA/220-240v IP20 | Alimentatore 44w DALI2/PUSH 9-52v/700-1050mA/220-240v IP20

ROBDALI26700

Driver 26w DALI2/PUSH 9-52v/150-700mA/220-240v IP20 | Driver 26w DALI2/PUSH 9-52v/150-700mA/220-240v IP20 | Driver 26w DALI2/PUSH 9-52v/150-700mA/220-240v IP20 | Alimentatore 26w DALI2/PUSH 9-52v/150-700mA/220-240v IP20

ROBDALI60140

Driver 60w DALI2/PUSH 9-48v/650-1400mA/220-240v IP20 | Driver 60w DALI2/PUSH 9-48v/650-1400mA/220-240v IP20 | Driver 60w DALI2/PUSH 9-48v/650-1400mA/220-240v IP20 | Alimentatore 60w DALI2/PUSH 9-48v/650-1400mA/220-240v IP20

DRIVERASTRO100DA

Driver 100w DALI +48v/0-2A/90-305v IP67 | Driver 100w DALI +48v/0-2A/90-305v IP67 | Driver 100w DALI +48v/0-2A/90-305v IP67 | Alimentatore 100w DALI +48v/0-2A/90-305v IP67

DRIVERASTRO150DA

Driver 160w DALI +48v/0-3,3A/90-305v IP67 | Driver 160w DALI +48v/0-3,3A/90-305v IP67 | Driver 160w DALI +48v/0-3,3A/90-305v IP67 | Driver 160w DALI +48v/0-3,3A/90-305v IP67

DRIVERASTRO200DA

Driver 200w DALI +48v/0-5A/90-305v IP67 | Driver 200w DALI +48v/0-5A/90-305v IP67 | Driver 200w DALI +48v/0-5A/90-305v IP67 | Driver 200w DALI +48v/0-5A/90-305v IP67

GODRIVER24048DA

Driver 240W DALI 48vdc 5A 100-240V | Driver 240W DALI 48vdc 5A 100-240V | Driver 240W DALI 48vdc 5A 100-240V | Alimentatore 240W DALI 48vdc 5A 100-240V

GODRIVER100280DA

DRIVER 100W / 2800mA / 17-54V / IP67 / 100-240V / DALI | DRIVER 100W / 2800mA / 17-54V / IP67 / 100-240V / DALI | DRIVER 100W / 2800mA / 17-54V / IP67 / 100-240V / DALI | DRIVER 100W / 2800mA / 17-54V / IP67 / 100-240V / DALI

GODRIVER150420DA

Driver 150W 150 - 4200mA 18-54V 100-240V IP67 DALI | Driver 150W 150 - 4200mA 18-54V 100-240V IP67 DALI | Driver 150W 150 - 4200mA 18-54V 100-240V IP67 DALI | Alimentatore 150W 150 - 4200mA 18-54V 100-240V IP67 DALI

GODRIVER200560DA

DRIVER 200 W 5600mA / 18-57V / IP67 / 100-240V DALI | DRIVER 200 W 5600mA / 18-57V / IP67 / 100-240V DALI | DRIVER 200 W 5600mA / 18-57V / IP67 / 100-240V DALI | DRIVER 200W 5600mA / 18-57V / IP67 / 100-240V DALI

GODRIVER40DA700

Driver 40W 28-29V 700mA 200-240V Classe I + II Dali Digital | Driver 40W 28-29V 700mA 200-240V Classe I + II Dali Digital | Driver 40W 28-29V 700mA 200-240V Classe I + II Dali Digital | Driver 40W 28-29V 700mA 200-240V Classe I+II Dali Digitale

GODRIVER75150DA

DRIVER 75W / 1500mA / 25-72V / IP67 / 100-240V - DALI | DRIVER 75W / 1500mA / 25-72V / IP67 / 100-240V - DALI | DRIVER 75W / 1500mA / 25-72V / IP67 / 100-240V - DALI | DRIVER 75W / 1500mA / 25-72V / IP67 / 100-240V - DALI

ROBDALI15024

Driver 150W / 6,25 Amax / 24Vdc / IP20 / DALI2-PUSH / 198-264Vac | Driver 150W / 6,25 Amax / 24Vdc / IP20 / DALI2-PUSH / 198-264Vac | Driver 150W / 6,25 Amax / 24Vdc / IP20 / DALI2-PUSH / 198-264Vac | Alimentatore 150W / 6,25 Amax / 24Vdc / IP20 / DALI2-PUSH / 198-264Vac

ROBDALI4524

Driver 45W / 1,88 Amax / 24V / IP20 / DALI2-PUSH / 220-240V | Driver 45W / 1,88 Amax / 24V / IP20 / DALI2-PUSH / 220-240V | Driver 45W / 1,88 Amax / 24V / IP20 / DALI2-PUSH / 220-240V | Driver 45W / 1,88 Amax / 24V / IP20 / DALI2-PUSH / 220-240V

ROBDALI60150

Driver 60W DALI2 / PUSH 25-42V / 1100-1500mA / 220-240V Dip switch | Driver 60W DALI2 / PUSH 25-42V / 1100-1500mA / 220-240V Dip switch | Driver 60W DALI2 / PUSH 25-42V / 1100-1500mA / 220-240V Dip switch | Driver 60W DALI2 / PUSH 25-42V / 1100-1500mA / 220-240V Dip switch

ROBDALI8024

Driver 80W / 3,33 Amax / 24V / IP20 / DALI2-PUSH / 176-264Vac | Driver 80W / 3,33 Amax / 24V / IP20 / DALI2-PUSH / 176-264Vac | Driver 80W / 3,33 Amax / 24V / IP20 / DALI2-PUSH / 176-264Vac | Driver 80W / 3,33 Amax / 24V / IP20 / DALI2-PUSH / 176-264Vac

DRIVERASTRO240DA

Driver 240W DALI +60V / 4A / 90-305V IP67 | Driver 240W DALI +60V / 4A / 90-305V IP67 | Driver 240W DALI +60V / 4A / 90-305V IP67 | Driver 240W DALI +60V / 4A / 90-305V IP67

GODRIVER30024IP67MW

DRIVER 300W 24V/10,6A IP67 100-240V | DRIVER 300 W 24 V/10,6 A IP67 100-240 V | DRIVER 300W 24V/10,6A IP67 100-240V | DRIVER 300W 24V/10,6A IP67 100-240V



DRIVER PROGRAM

GODRIVER150105

Driver 150W / 72-214V / 1050mA / Programable 1-10 / IP66 / 100-240V | Driver 150W / 72-214V / 1050mA / Programável 1-10 / IP66 / 100-240V | Driver 150W / 72-214V / 1050mA / Programable 1-10 / IP66 / 100-240V | Driver 150W / 72-214V / 1050mA / Programmabile 1-10 / IP66 / 100-240V



DRIVER TIMER

GODRIVERPROG

Driver 1400mA 21-43v Programmable -timer inc - para módulos de 20-60W | Driver 1400mA 21-43v Programável -timer inc - para módulos de 20-60W | Driver 1400mA 21-43v Programmable -timer inc -for LED modules of 20-60W | Driver 1400mA 21-43v Programmabile -timer inc - per moduli 20-60W



DRIVER DALI

ROBDALI8350

Driver 8W / Dali-Push / 100-350mA / 8-42V / IP20 / 220-240V | Driver 8W / Dali-Push / 100-350mA / 8-42V / IP20 / 220-240V | Driver 8W / Dali-Push / 100-350mA / 8-42V / IP20 / 220-240V | Driver 8W / Dali-Push / 100-350mA / 8-42V / IP20 / 220-240V

TORPDALI010B

Torpedo Convertidor DALI/Push 0-10V | Torpedo DALI/Push Converter 0-10V | Torpedo Converter DALI/Push 0-10V | Convertitore Torpedo DALI/Push 0-10V

TORPDALI010C

Torpedo Convertidor DALI - PWM 1-10V | Conversor Torpedo DALI - PWM 1-10V | Torpedo Converter DALI - PWM 1-10V | Torpedo Convertitore DALI - PWM 1-10V

ROBCASCCT501400

LED Driver 200-1400mA 50W 2-50Vdc 220-240Vac | LED Driver 200-1400mA 50W 2-50Vdc 220-240Vac

ROBDALI42105

Driver 42W DALI2-PUSH 3-52Vdc 150-1050mA 198-264Vac | Driver 42W DALI2-PUSH 3-52Vdc 150-1050mA 198-264Vac

DRIVER40400DAPU

DRIVER 40W 75-400mA 54-240V IP20 200-240V DALI+PUSH | LED DRIVER 40W 75-400mA 54-240V IP20 200-240V DALI+PUSH



DRIVER TRIAC

DRIVERTRIAC14

Driver Regulable TRIAC 220-240V hasta 14W (25-40V / 200-350 mA) | Driver regulável TRIAC 220-240V até 14W (25-40V / 200-350 mA) | DIM Driver TRIAC 220-240V upto 14W (25-40V / 200-350 mA) | Driver Dimmerable TRIAC 220-240V fino a 14W (25-40V / 200-350 mA)

ROB30DIMT700

Driver TRIAC max 30W 700mA para focos carril TK01 | Driver TRIAC max 30W 700mA para luzes de trilhos TK01 | Driver TRIAC max 30W 700mA forl TK01 | Driver TRIAC max 30W 700mA per faretta a binario TK01

ROB14DIMT350

Driver 14W / 25-40V / 200-350mA Regulable TRIAC / 220-240 IP20 | Driver 14W / 25-40V / 200-350mA TRIAC regulável / 220-240 IP20 | Driver 14W / 25-40V / 200-350mA Dimmable TRIAC / 220-240 IP20 | Driver 14W / 25-40V / 200-350mA Dimmerable TRIAC / 220-240 IP20

ROB8DIMT350

Driver 8w TRIAC 12-22v/300-350mA/220-240v IP20 | Driver 8w TRIAC 12-22v/300-350mA/220-240v IP20 | Driver 8w TRIAC 12-22v/300-350mA/220-240v IP20 | Driver 8w TRIAC 12-22v/300-350mA/220-240v IP20

ROB8DIMT200

Driver 8w TRIAC 25-40v/135-200mA/220-240v IP20 | Driver 8w TRIAC 25-40v/135-200mA/220-240v IP20 | Driver 8w TRIAC 25-40v/135-200mA/220-240v IP20 | Driver 8w TRIAC 25-40v/135-200mA/220-240v IP20

ROB50DIMT1400

Driver 50W TRIAC 10-50V/700-1400mA/180-240V IP20 (35-50W) | Driver 50W TRIAC 10-50V/700-1400mA/180-240V IP20 (35-50W) | Driver 50W TRIAC 10-50V/700-1400mA/180-240V IP20 (35-50W) | Driver 50W TRIAC 10-50V/700-1400mA/180-240V IP20 (35-50W)

ROB20DIMT550

Driver LED 20W 400mA to 550mA IP20 TRIAC | LED Driver 20W 400mA to 550mA IP20 TRIAC



Driver Pantallas

DRIVER40ELPS

DRIVER LED PARA PANEL 40W ELPS-LPS | LED DRIVER PARA PAINEL 40W ELPS-LPS | DRIVER LED PER PANNELLO 40W ELPS-LPS

DRIVER40LPSDIM

Driver regulable 0-10V (15-45V) 850-1050mA para panel 40W | Driver regulável 0-10V (15-45V) 850-1050mA para painel de 40W | Driver DIM 0-10V (15-45V) 850-1050mA for 40W panel | Driver dimmerabile 0-10V (15-45V) 850-1050mA per pannello 40W



HLPS Drivers

DRIVERHLPSIP65

DRIVER LED PARA PANEL 40W HLPS IP65 950mA | LED DRIVER PARA PAINEL 40W HLPS IP65 950mA | DRIVER LED FOR PANEL 40W HLPS IP65 950mA | DRIVER LED PER PANNELLO 40W HLPS IP65 950mA

DRIVERHLPSIP20

DRIVER LED PARA PANEL 40W HLPS IP20 900mA | LED DRIVER PARA PAINEL 40W HLPS IP20 900mA | DRIVER LED FOR PANEL 40W HLPS IP20 900mA | DRIVER LED PER PANNELLO 40W HLPS IP20 900mA



DRIVER DIGITAL

GODRIVER751500

Driver 75W 25-72v/1500mA DIGITAL 100-240V IP67 | Driver 75W 25-72v/1500mA DIGITAL 100-240V IP67 | Driver 75W 25-72v/1500mA DIGITAL 100-240V IP67 | Driver 75W 25-72v/1500mA DIGITALE 100-240V IP67

GODRIVER240350

DRIVER 240W / 3500 mA / 35-111V / IP67 / 100-240V / DIGITAL | DRIVER 240W / 3500 mA / 35-111V / IP67 / 100-240V / DIGITAL | DRIVER 240W / 3500 mA / 35-111V / IP67 / 100-240V / DIGITAL | DRIVER 240W / 3500 mA / 35-111V / IP67 / 100-240V / DIGITALE

GODRIVER100105

DRIVER 100W / 1050mA / 48-143V / IP67 / 100-240V - DIGITAL | DRIVER 100W / 1050mA / 48-143V / IP67 / 100-240V - DIGITAL | DRIVER 100W / 1050mA / 48-143V / IP67 / 100-240V - DIGITAL | DRIVER 100W / 1050mA / 48-143V / IP67 / 100-240V - DIGITALE

GODRIVER100150

DRIVER 100W / 1500mA / 34-95V / IP67 / 100-240V / DIGITAL | DRIVER 100W / 1500mA / 34-95V / IP67 / 100-240V / DIGITAL | DRIVER 100W / 1500mA / 34-95V / IP67 / 100-240V / DIGITAL | DRIVER 100W / 1500mA / 34-95V / IP67 / 100-240V / DIGITALE

GODRIVER120105

DRIVER 120W 1050mA / 57-171V / DIM 0-10V / IP20 DIGITAL 200-240V | DRIVER 120W 1050mA / 57-171V / DIM 0-10V / IP20 DIGITAL 200-240V | DRIVER 120W 1050mA / 57-171V / DIM 0-10V / IP20 DIGITAL 200-240V | DRIVER 120W 1050mA / 57-171V / DIM 0-10V / IP20 DIGITALE 200-240V

GODRIVER120150

DRIVER 120W 40-114V IP20 220-240V DIGITAL 1-10V TIMER PWM CLASE I + II | DRIVER 120W / 1500mA / 40-114V / IP20 / 220-240V / DIGITAL 1-10V / TIMER PWM CLASE I + II | DRIVER 120W / 1500mA / 40-114V / IP20 / 220-240V / DIGITAL 1-10V / TIMER PWM CLASE I + II | DRIVER 120W / 1500mA / 40-114V / IP20 / 220-240V / DIGITALE 1-10V / TIMER PWM CLASE I + II

GODRIVER150150

Driver 150W/50-143V/1500mA/DIGITAL DIM 0-10/100-240V/IP66 | Driver 150W/50-143V/1500mA/DIGITAL DIM 0-10/100-240V/IP66 | Driver 150W/50-143V/1500mA/DIGITAL DIM 0-10/100-240V/IP66 | Driver 150W/50-143V/1500mA/DIGITALE DIM 0-10/100-240V/IP66

GODRIVER200105

Driver 200W / 700-1050mA / 95-286V / IP67 / 100-240V / DIGITAL | Driver 200W / 700-1050mA / 95-286V / IP67 / 100-240V / DIGITAL | Driver 200W / 700-1050mA / 95-286V / IP67 / 100-240V / DIGITAL | Driver 200W / 700-1050mA / 95-286V / IP67 / 100-240V / DIGITALE

GODRIVER200150

Driver 200W / 1500mA / 67-190V / IP67 / 100-240V / DIGITAL | Driver 200W / 1500mA / 67-190V / IP67 / 100-240V / DIGITAL | Driver 200W / 1500mA / 67-190V / IP67 / 100-240V / DIGITAL | Driver 200W / 1500mA / 67-190V / IP67 / 100-240V / DIGITALE

GODRIVER100280

DRIVER 100W / 2800mA / 17-54V / IP67 / 100-240V / DIGITAL | DRIVER 100W / 2800mA / 17-54V / IP67 / 100-240V / DIGITAL | DRIVER 100W / 2800mA / 17-54V / IP67 / 100-240V / DIGITAL | DRIVER 100W / 2800mA / 17-54V / IP67 / 100-240V / DIGITALE

GODRIVER150420

Driver 150W 150 - 4200mA 18-54V DIGITAL 100-240V IP67 5AÑOS | Driver 150 W 150 - 4200 mA 18-54 V DIGITAL 100-240 V IP67 5 ANOS | Driver 150W 150 - 4200mA 18-54V DIGITAL 100-240V IP67 5YEARS | Driver 150W 150 - 4200mA 18-54V DIGITALE 100-240V IP67 5ANNI

GODRIVER200280

DRIVER 200W 36-111V/2800mA DIGITAL / IP67 100-240V | DRIVER 200W 36-111V/2800mA DIGITAL / IP67 100-240V | DRIVER 200W 36-111V/2800mA DIGITAL / IP67 100-240V | DRIVER 200W 36-111V/2800mA DIGITALE / IP67 100-240V

GODRIVER200560

DRIVER 200 W 5600mA / 18-57V / DIGITAL IP67 / 100-240V | DRIVER 200 W 5600mA / 18-57V / DIGITAL IP67 / 100-240V | DRIVER 200 W 5600mA / 18-57V / DIGITAL IP67 / 100-240V | DRIVER 200W 5600mA / 18-57V / DIGITALE IP67 / 100-240V

GODRIVER50090DE

DRIVER 50W / 900mA / 28-91Vdc / DIGITAL / IP67 / 100-240V Clase I + Clase II | DRIVER 50W / 900mA / 28-91Vdc / DIGITAL / IP67 / 100-240V Clase I + Clase II | DRIVER 50W / 900mA / 28-91Vdc / DIGITAL / IP67 / 100-240V Clase I + Clase II | DRIVER 50W / 900mA / 28-91Vdc / DIGITALE / IP67 / 100-240V Clase I + Clase II

GODRIVER50150

DRIVER 50W / 1500mA / 14-54V / DIGITAL / IP67 / 100-240V | DRIVER 50W / 1500mA / 14-54V / DIGITAL / IP67 / 100-240V | DRIVER 50W / 1500mA / 14-54V / DIGITAL / IP67 / 100-240V | DRIVER 50W / 1500mA / 14-54V / DIGITALE / IP67 / 100-240V

GODRIVER50150DE

DRIVER 50W / 1500mA / 14-54V / DIGITAL / IP67 / 100-240V Clase I + Clase II | DRIVER 50W / 1500mA / 14-54V / DIGITAL / IP67 / 100-240V Clase I + Clase II | DRIVER 50W / 1500mA / 14-54V / DIGITAL / IP67 / 100-240V Clase I + Clase II | DRIVER 50W / 1500mA / 14-54V / DIGITALE / IP67 / 100-240V Clase I + Clase II

GODRIVER751050

Driver 75W 36-107v/1050mA DIGITAL 100-240V IP67 | Driver 75W 36-107v/1050mA DIGITAL 100-240V IP67 | Driver 75W 36-107v/1050mA DIGITAL 100-240V IP67 | Driver 75W 36-107v/1050mA DIGITALE 100-240V IP67

GODRIVER75210

Driver 75W 18-54v/2100mA DIGITAL 100-240 IP67 | Driver 75W 18-54v/2100mA DIGITAL 100-240 IP67 | Driver 75W 18-54v/2100mA DIGITAL 100-240 IP67 | Driver 75W 18-54v/2100mA DIGITALE 100-240 IP67

GODRIVER75280

Driver 75W 14-39v/2800mA DIGITAL 100-240V IP67 7AÑOS | Driver 75W 14-39v/2800mA DIGITAL 100-240V IP67 7 ANOS | Driver 75W 14-39v/2800mA DIGITAL 100-240V IP67 7YEARS | Driver 75W 14-39v/2800mA DIGITALE 100-240V IP67 7ANNI

GODRIVER80105DA

DRIVER 80W 38114V / 1050 mA / DALI2 / DIGITAL / 220-240V / IP20 CLASE I + II | DRIVER 80W 38114V / 1050 mA / DALI2 / DIGITAL / 220-240V / IP20 CLASE I + II | DRIVER 80W 38114V / 1050 mA / DALI2 / DIGITAL / 220-240V / IP20 CLASE I + II | DRIVER 80W 38114V / 1050 mA / DALI2 / DIGITALE / 220-240V / IP20 CLASE I + II

ROB15DIM010

Driver LED 15W IP120 120- 350mA 0-10V, RX y PWM | LED Driver 15W IP120 120-350mA 0-10V, RX and PWM |



DRIVER DIM

GODRIVERS540

Driver 860mA 21-38v Regulable 0-10 - para modulos de 40W STRELA / SATT | Driver 860mA 21-38v Ajustável 0-10 - para módulos 40W STRELA / SATT | Driver 860mA 21-38v Regulable 0-10 - para modulos de 40W STRELA / SATT | Driver 860mA 21-38v Regulabile 0-10 - per moduli STRELA / SATT 40W

GODRIVER60

Driver 1400mA 21-43v Regulable 0-10 - para modulos de 60W | Driver 1400mA 21-43v Ajustável 0-10 - para módulos de 60W | Driver 1400mA 21-43v Dimmable 0-10 - for LED modules of 60W | Driver 1400mA 21-43v Regulabile 0-10 - per moduli 60W

GODRIVER96

Driver 1400mA 21-43v Regulable 0-10 - para modulos de 70-80W | Driver 1400mA 21-43v Ajustável 0-10 - para módulos de 70-80W | Driver 1400mA 21-43v Regulable 0-10 - for LED modules of 70-80W | Driver 1400mA 21-43v Regulabile 0-10 - per moduli 70-80W

GODRIVER150

Driver 1400mA 21-43v Regulable 0-10 - para modulos de 90-120W | Driver 1400mA 21-43v Ajustável 0-10 - para módulos de 90-120W | Driver 1400mA 21-43v Regulable 0-10 - for LED modules of 90-120W | Driver 1400mA 21-43v Regulabile 0-10 - per moduli 90-120W

GODRIVER200

Driver 1400mA 21-43v Regulable 0-10 - para modulos de 130-200W | Driver 1400mA 21-43v Ajustável 0-10 - para módulos de 130-200W | Driver 1400mA 21-43v Regulable 0-10 - for LED modules of 130-200W | Driver 1400mA 21-43v Regulabile 0-10 - per moduli 130-200W

GODRIVER20

Driver S050 500mA 29-60v Regulable 0-10 - para modulos de 20W | Driver S050 500mA 29-60v Ajustável 0-10 - para módulos de 20W | Driver S050 500mA 29-60v Dimmable 0-10 - for LED modules of 20W | Driver S050 500mA 29-60v Regulabile 0-10 - per moduli 20W

ROB40DIM750

Driver 750 mA 100-240V Regulable 0-10 40W | Driver 750 mA 100-240 V Dimerizável 0-10 40 W | Driver 750 mA 100-240V DIM 0-10 40W | Driver 750 mA 100-240V Dimmerabile 0-10 40W

ROB60DIM550

Driver 550mA 100-240V Regulable 0 - 10 60W | Driver 550mA 100-240V Regulável 0 - 10 60W | Driver 550mA 100-240V DIM 0 - 10 60W | Driver 550mA 100-240V Dimmerabile 0 - 10 60W

ROB12DIM010

Driver 12W 120-350mA 12-40V Regulable 0-10V 220-240 IP20 | Driver 12W 120-350mA 12-40V Regulável 0-10V 220-240 IP20 | Driver 12W 120-350mA 12-40V Dimmable 0-10V 220-240 IP20 | Driver 12W 120-350mA 12-40V Dimmerabile 0-10V 220-240 IP20

GODRIVER52DIM105

Driver 52W / 25-50V / 1050mA Dimable 1-10V / 100-240V IP67 | Driver 52W / 25-50V / 1050mA regulável 1-10V / 100-240V IP67 | Driver 52W / 25-50V / 1050mA Dimmable TRIAC / 220-240 IP20 | Driver 52W / 25-50V / 1050mA Dimmerabile 1-10V / 100-240V IP67

GODRIVER60DIM1050

Driver 60W Regulable 0-10 1050mA 34-57v | Driver 60W Ajustável 0-10 1050mA 34-57v | Driver 60W Dimmable 0-10 1050mA 34-54v | Driver 60W Regulabile 0-10 1050mA 34-57v

GODRIVER50AB210DIM

DRIVER 50W / 2100 mA / 22-54v / IP67 / 100-240V / REGULABLE | DRIVER 50W / 2100 mA / 22-54v / IP67 / 100-240V / AJUSTÁVEL | DRIVER 50W / 2100 mA / 22-54v / IP67 / 100-240V / DIMMABLE | DRIVER 50W / 2100 mA / 22-54v / IP67 / 100-240V / REGULABLE

GODRIVER75AB210DIM

DRIVER 50W / 1300-2100 mA / 27-56 v / IP67 REGULABLE | DRIVER 50W / 1300-2100 mA / 27-56 v / IP67 AJUSTÁVEL | DRIVER 50W / 1300-2100 mA / 27-56 v / IP67 DIMMABLE | DRIVER 50W / 1300-2100 mA / 27-56 v / IP67 ORIENTABLE

GODRIVER9610A

Driver 96W / 700-1050mA / 43-137V / 3 Timer / 0-10V IP67 10AÑOS | Driver 96W / 700-1050mA / 43-137V / 3 temporizadores / 0-10V IP67 10 ANOS | Driver 96W / 700-1050mA / 43-137V / 3 Timer / 0-10V IP67 10YEARS | Driver 96W / 700-1050mA / 43-137V / 3 Timer / 0-10V IP67 10ANNI

GODRIVER60DIM1400

Driver 60W 21-43v/1400mA Regulable 1-10 120-240V IP67 | Driver 60 W 21-43 V/1400 mA Regulável 1-10 120-240 V IP67 | Driver 60W 21-43v/1400mA Dimmable 1-10 120-240V IP67 | Driver 60W 21-43v/1400mA Dimmerabile 1-10 120-240V IP67

GODRIVER50A210

DRIVER 50W / 530-2100mA / 22-54Vdc / 100-240V IP67 Regulable | DRIVER 50W / 530-2100mA / 22-54Vdc / 100-240V IP67 Regulável | DRIVER 50W / 530-2100mA / 22-54Vdc / 100-240V IP67 Regulable | DRIVER 50W / 530-2100mA / 22-54Vdc / 100-240V IP67 Dimmerabile

GODRIVER751057A

Driver 75W 37-107VDC / 700-1050mA / Dimm 0-10V / IP65 | Driver 75W 37-107VDC / 700-1050mA / Dimm 0-10V / IP65 | Driver 75W 37-107VDC / 700-1050mA / Dimm 0-10V / IP65 | Driver 75W 37-107VDC / 700-1050mA / Dimm 0-10V / IP65

ROB55DIM1200

Driver 50W 1200mA 25-42V IP20 DIM 0-10V 220-240V | Driver 50 W 1200 mA 25-42 V IP20 DIM 0-10 V 220-240 V | Driver 50W 1200mA 25-42V IP20 DIM 0-10V 220-240V | Alimentatore 50W 1200mA 25-42V IP20 DIM 0-10V 220-240V

DRIVERASTRO100

Driver 100W +48v/2000mA DIMABLE 0-10v 100-240V IP67 REDONDO | Driver 100 W +48 V/2000 mA DIMMABLE 0-10 V 100-240 V IP67 REDONDO | Driver 100W +48v/2000mA DIMMABLE 0-10v 100-240V IP67 ROUND | Driver 100W +48v/2000mA DIMMERABILE 0-10v 100-240V IP67 TONDO

DRIVERASTRO150

Driver 160W +48v/3300mA DIMABLE 1-10v 100-240V IP67 REDONDO | Driver 160 W +48 V/3300 mA DIMMABLE 1-10 V 100-240 V IP67 REDONDO | Driver 160W +48v/3300mA DIMMABLE 1-10v 100-240V IP67 ROUND | Driver 160W +48v/3300mA DIMMERABILE 1-10v 100-240V IP67 TONDO

DRIVERASTRO200

Driver 240W +48v/5000mA DIMABLE 0-10v 100-240V IP67 REDONDO | Driver 240 W +48 V/5000 mA DIMMABLE 0-10 V 100-240 V IP67 REDONDO | Driver 240W +48v/5000mA DIMMABLE 0-10v 100-240V IP67 ROUND | Driver 240W +48v/5000mA DIMMERABILE 0-10v 100-240V IP67 TONDO

GODRIVER40DIM1050

Driver 40W 21-38v/1050mA Regulable 0-10 120-240V IP67 | Driver 40 W 21-38 V/1050 mA Regulável 0-10 120-240 V IP67 | Driver 40W 21-38v/1050mA Regulable 0-10 120-240V IP67 | Driver 40W 21-38v/1050mA Regulabile 0-10 120-240V IP67

DRIVER42350DIM010

Driver 42W 200-350mA 220-240V 54-140Vdc Dim 0-10V | LED Driver 42W 200-350mA 220-240V 54-140Vdc Dim 0-10V |